

	Application No.	Applicant(s)
Notice of Allowability	10/789,882	FARRAR, PAUL A.
	Examiner	Art Unit
	Dao H. Nguyen	2818
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet with the co (OR REMAINS) CLOSED in this apply or other appropriate communication IGHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. This communication is responsive to 12/10/2004.		
2. The allowed claim(s) is/are <u>1-79</u> .		
3. $\boxtimes$ The drawings filed on <u>27 February 2004</u> are accepted by t	he Examiner.	
<ul> <li>4. ☐ Acknowledgment is made of a claim for foreign priority u</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> <li>2. ☐ Certified copies of the priority documents have</li> <li>3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	e been received. e been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which giv		
<ul> <li>6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> <li>7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ul>		
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date 1204  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6.	ie
Supervisory Patent Examinar Technology Center 2800		

## **DETAILED ACTION**

1. In response to the communications dated 12/10/2004, claims 1-79 are active in this application.

## **Acknowledges**

2. Receipt is acknowledged of the following items from the Applicant.

Information Disclosure Statement (IDS) filed on 12/10/2004. The references cited on the PTOL 1449 form have been considered.

## Remarks

3. Applicant's argument(s), filed 12/10/2004, with respect to claim(s) 1-79, have been fully considered and are persuasive. Therefore, the rejection of the last Office Action, in light of the amended claim(s), has been withdrawn; Furthermore, the pending claim(s) are found in condition for allowance.

## Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dao Nguyen whose telephone number is (571)272-

Art Unit: 2818

1791. The examiner can normally be reached on Monday-Friday 9:00am – 6:00pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms can be reached on (571)272-1787. The fax numbers for all communication(s) is 703-872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571)272-1625.

Dao H. Nguyen Art Unit 2818

March 2, 2005

Supervisory Patent Examiner Technology Center 2800